



AUSTRALIAN MADE FOR AN AUSTRALIAN LIFESTYLE

Delta Panels Pty Ltd

P: +61 07 3271 2170 E: info@deltapanels.com W: www.deltapanels.com A: 731 Boundary Road, Richlands, Qld 4077

> ABN: 11 147 861 292 Version Date: 08.04.2020







PRODUCT DETAILS

The DeltaPanel lights are available in 3 sizes to allow for maximum design flexibility. The 10mm light panel are inserted into a 50mm frame which allows the LED driver to be conveniently housed behind the light panel.

PRODUCT FEATURES

- Available in 3 different sizes
- Powder Coated Aluminum frame
- Pre-drilled holes for an easy installation
- Polycarbonate Lens provides even illumination
- Low Voltage Power source

- Wall mounted and remote controller
- Triac Dimmer
- No attached conduits or Hanging Wires to the panel under-skin.
- NonFlicker

PRODUCT SPECIFICATIONS

Manufactured with a sealed polycarbonate lens and mounted in a powder coated mounting frame, the Delta Panels lights are designed for easy installation given a clean functional lighting solution. Ideal for a range of Commercial, Industrial and Domestic applications.

DELTALPANEL LIGHT™ SPECIFICATIONS			
	PL595X595TD	PL295X1195TD	PL595X1195TD
EXTERIOR WIDTH	595mm	295mm	595mm
EXTERIOR LENGTH	595mm	1195mm	1195mm
HEIGHT - FRAME	50mm	50mm	50mm
LIGHT PANEL THICKNESS	10mm	10mm	10mm
WATTAGE	54W	54W	72W - Dual Driver
INPUT VOLTAGE	AC220-240V - Dimmable	AC220-240V - Dimmable	AC220-240V - Dimmable
LIGHT OUTPUT (LUMENS)	80-100 lm/w	80-100 lm/w	80-100 lm/w
COLOUR ACCURACY (CRI)	80 CR(Ra)	80 CR(Ra)	80 CR(Ra)
CORRELATION COLOUR TEMPERATURE (CCT)	5000k	5000k	5000k
PROTECTION CLASS	IP44	IP44	IP44
WARRANTY	3 year limited warranty	3 year limited warranty	3 year limited warranty

Version Date: 08.04.2020



FRAME COMPONENTS

UNASSEMBLED PARTS



CONNECTION POINTS




ASSEMBLED FRAME WITH LIGHT PANEL







PANEL LIGHT COMPONENTS





- Please ensure all installation procedures comply with Australian Wiring Rules AS/NZ3000
- PROTECT YOURSELF! Before installing, please read the DeltaPanel Light™ & Safety Installation Instructions carefully.

Version Date: 08.04.2020